




PŘÍSLUŠENSTVÍ

NÁSTRČNÉ ŠROUBENÍ

NÁSTRČNÉ ŠROUBENÍ PŘÍMÉ


Maximální pracovní tlak **250 bar**.



Obj. číslo	Typ	ØT	D1	D2	CH	L1	L2
425 000 001 412	GEPM 4 M 6x1	4	M6x1	9,5	10	8	25
425 000 001 413	GEPM 4 M 8x1	4	M8x1	9,5	10	8	22,5
425 000 001 414	GEPM 4 M 10x1	4	M10x1	9,5	11	8	21
425 000 001 415	GEPM 4 R 1/8	4	R1/8	9,5	12	7,5	21
425 000 001 612	GEPM 6 M 6x1	6	M6x1	11,5	12	8	28
425 000 001 613	GEPM 6 M 8x1	6	M8x1	11,5	12	8	28
425 000 001 614	GEPM 6 M 10x1	6	M10x1	11,5	12	8	24,5
425 000 001 615	GEPM 6 R 1/8	6	R1/8	11,5	12	7,5	24
425 000 002 616	GEPH 6 R 1/4	6	R1/4	11,5	14	11	26

NÁSTRČNÉ ŠROUBENÍ ROHOVÉ


Maximální pracovní tlak **250 bar**.



Obj. číslo	Typ	ØT	D1	D2	CH	L1	L2	L3
425 000 001 422	WEPM 4 M 6x1	4	M6x1	9,5	10	6	17	21,5
425 000 001 423	WEPM 4 M 8x1	4	M8x1	9,5	10	8	17	21,5
425 000 001 424	WEPM 4 M 10x1	4	M10x1	9,5	10	8	18	21,5
425 000 001 425	WEPM 4 R 1/8	4	R1/8	9,5	10	7,5	17	21,5
425 000 001 622	WEPM 6 M 6x1	6	M6x1	11,5	14	6	20	24
425 000 001 623	WEPM 6 M 8x1	6	M8x1	11,5	14	8	20	24
425 000 001 624	WEPM 6 M 10x1	6	M10x1	11,5	14	8	21	24
425 000 001 625	WEPM 6 R 1/8	6	R1/8	11,5	14	7,5	20	24

NÁSTRČNÉ ŠROUBENÍ OTOČNÉ


Maximální pracovní tlak **250 bar**.



Obj. číslo	Typ	ØT	D1	D2	CH	L1	L2	L3
425 000 001 432	WERM 4 M 6x1	4	M6x1	9,5	10	8	25	22
425 000 001 433	WERM 4 M 8x1	4	M8x1	9,5	10	8	22,5	22
425 000 001 434	WERM 4 M 10x1	4	M10x1	9,5	11	8	21	22
425 000 001 435	WERM 4 R 1/8	4	R1/8	9,5	12	7,5	21	22
425 000 001 632	WERM 6 M 6x1	6	M6x1	11,5	12	8	28	24
425 000 001 633	WERM 6 M 8x1	6	M8x1	11,5	12	8	28	24
425 000 001 634	WERM 6 M 10x1	6	M10x1	11,5	12	8	24,5	24
425 000 001 635	WERM 6 R 1/8	6	R1/8	11,5	12	7,5	24	24
425 000 002 646	WERH 6 R 1/4	6	R1/4	11,5	14	11	26	24

ZPĚTNÝ VENTIL

Maximální pracovní tlak **150 bar**.



Obj. číslo	Typ	ØT	D1	D2	CH	L1	L2
425 000 002 661	NRVP 6 M 10x1	6	M10x1	11,5	12	8	29,5